

X

Rebound 1938

Library of the Museum
OF
COMPARATIVE ZOÖLOGY,

AT HARVARD COLLEGE, CAMBRIDGE, MASS.


Founded by private subscription, in 1861.

~~~~~  
*L. de Meunier Library*

No. 854



2 figures numbered 931.





HISTORIÆ CONCHYLIORUM  
Liber IV.  
*qui est*  
de Buccinis Marinis,  
Etiam Vermiculj, Dentalia, et Patellæ  
numerantur  
*ibidem.*



Londini,  
are incisus, Sumptibus authoris.  
1688.

Susanna et Anna Lister Pin.  
524

**BLANK  
PAGE**



# Buccina Marina

Sunt vel

minime Tortilia

brevia, discoidea; Patellæ.

paululum curva, tenuia; Dentalia.

Tortilia quidem, at sine aliquo certo volutarum ordine; Vermiculj.

Intorta, sive Turbines.

Oris hianu integro, aut parum sinuato.

Compressi; plerisq; Nautili.

Cochleæ plerisq;.

Spiris vix amplius duabus donati,

integri; plerisq; Neritæ.

perforati; Auræ marinæ.

capite depresso, lato, basi conoide; plerisq; Trochi.

Rostro sinuato, sive canaliculato.

utroq; latere se Colligentes; Conchæ Veneris.

Cylindræj; aliquibus Rhombj, sive Strombi.

Columella ex interna parte striatâ sive dentatâ.

L. abris fere repandis, purpurascens; quibus

etiam alter sinus præter canaliculationem rostrum;

adeoq; quibusdam purpuræ bilingues audiunt.

Ventricoli, rostro protenso, basi brevi.

quibus Et basis et caput sive rostrum productius.

quibus rostrum breve, oris hianum non excedens.

**BLANK  
PAGE**



PATELLÆ sunt, uel  
uertice

PERFORATO .

INTEGRO .

laues .

Striata .

ADUNCO ,

marginæ æquali .  
obliqua .

longæ, compressæ, CAVITATE

Arcuata insignita .

Acuto, STILO quodam donata .

**BLANK  
PAGE**




historia conchyliorum libri IV.  
Sectio I. cap I.

de


PATELLIS uertice Perforato.

1. patella  
Cancellata.



Iamac.  
Barbad.


2. patella cancellata, Densè  
admodum Striata.




§ 27



3. patella admodum Depressa,  
intus quodā ad marginem  
donata.



4. patella lauior Striata,  
Intus uiridis, extra ex  
suo rufescens.




Afric.

5. patella Viridis, stryis raris,  
magis oculis, albidis, insignitis;  
foramine utroque nigricante.




Barb.

6. patella stryis Nodosis  
donata.



Barb.

7. patella foramine Circ-  
-innato conspicua,  
maculata.




Barb.


§ 28

**BLANK  
PAGE**






9. patella ingens, nigri latiq, maculis insignita .



**BLANK  
PAGE**




12. Lepas maxima striata Fa. Col.






**BLANK  
PAGE**



13. *patella ingens*, variegata, ferè s. strigibus radiata, caetera laui.

534




14. *patella maculosa*, ferè striata, modò laui.

535

**BLANK  
PAGE**






15. patella subfusca, exiguis tuberculis, secundum strias, exasperata.

536

16. patella nigra, magna, tenuiter admodum striata.



Afric.

17. patella nigricans, minor, capillaceis, strigis insignita.




Afric.

18. patella albida, intus citrina, extra raris puncturis San. guineis eleganter depicta.




Barbad.

19. patella niuea, strigis raris, profundis et inequalibus donata, uertice fore acuto.




Bar.

20. patella albida, cancellata, lateribus paululum compressis.




Barbad.

537



21. patella miniata, oblonga, dense striata.

21



538

**BLANK  
PAGE**

22. patella strys nigri donata, ipso vertice albo,  
nigra, fere linea cincto.



22


Barbad.



23

23. patella nigra, strys majusculis albis alterna-  
tim fere inaequalibus distincta.

539



24

24. patella ingens, intus alba, extra maculosa, s. sulci, ad magna intervallo, donata, cetera laevi.  
apud Van-Minderer prostat.

540


**BLANK  
PAGE**



*Sect. 1. cap. 4.*

*de*

*PATELLIS uerice Adunco, margine aequali.*



*25.*

*25. patella magna, fulva, lateribus paululum compressis,  
dense et leviter striata.*

**BLANK  
PAGE**

A



26

hartlepool.



26. patella levis, fusca.

542

A



27

falmouth.

27. patella minima, levis, pellucida, aliquot C<sup>o</sup> =  
ruris lineis eleganter insignita.

A



28

barnstable.


28. patella exigua, alba, cancellata, Fissura  
notabile in margine.

543

**BLANK  
PAGE**




Sect. 1. Cap. 3.  
de Patellis uertice Anunico, margine Obliquo.




29

29. patella,  
striata, uertice acuto, admodum  
oblique præcisa.



32. patella alba ferrata,  
striata, uertice intorto.



31

Barbad.

31. patella rugosa, alba, admodum crassa.



30


30. patella subrufa, tenuiter striata, siue cancellata, uertice inflexo. Barbad.




32

**BLANK  
PAGE**

Sept. 1. Cap. 6.  
 Patellis uertice adunco, quibus ex interna parte  
 cavitas quaedam quasi arcuata, longis, compressis,




33. patella crassa, maculis exiguis rufis distincta.



34. patella levis, dense maculata, admodum compressa.

35. patella striata, aspera, maculosa.



37. patella alba, compressa, levis.

36. patella levis, ex purpurea nigricans, elegantior reticulata, rostro paululum inflexo.

**BLANK  
PAGE**





**BLANK  
PAGE**

Sectio. II.  
de  
Dentalibus.



1. Dentale viride, striatum, maximis Striae rarae, majusculae,  
admodum extantes; minimis Striae densae et tenuiores.



barnstable. A


A. vermiculus rufescens, leuiter striatus sive  
cancellatus.



barb.

2. Dentale laeve, album, altera extremitate rufescens.

**BLANK  
PAGE**



**BLANK  
PAGE**



X

libri .IV. Sectio .IV.

De

*Polypis Testaceis, siue Nautilis.*

Nautilis sunt uel


| *caudati, & plurimis Tabulatis confecti.*

| *Uacui, i.e. integri, et non ullo*  
*diaphragmate disjuncti.*



**BLANK  
PAGE**


Sectio. IV.  
 de caput. 1.  
 Nautilus caudaris.



1 nautilus umbilicatus minor, atq, auriculatus,  
 dorso latiore et minus compresso.




2 nautilus exiguus, albus,  
 pellucidus, Terres.



3, nautilus magnus, fasciatus, ipsa puppe  
 nigra, Cochlea peregrina calceol.


**BLANK  
PAGE**



**BLANK  
PAGE**



4 Nautilus umbilicatus .





552



5. vermiculus exiguus, albus, nautiloides, algæ ferè adherens.

553


**BLANK  
PAGE**



6. Nautilus minor, Auritus, magnis  
et eminentibus Strijs donatus.

**BLANK  
PAGE**


7 *Nautilus Maximus, Densè striatus, auritus. Nautilus Calceol.*  
*nautili primum genus Aristotel: secundum Bellon: et Aldr.*



*Susaa.*

561

*idem cum pisce, ex Aldrou.*



567

**BLANK  
PAGE**



## Buccinorum Marinorum

Sectio V.

*de*  
*Cocleis Marinis.*  
*Cochleæ Marinæ sunt vel,*

*Figura compactili, sive apice claviculæ brevi.*

*Umbilicatæ, sinu*

*| aurito .*

*| plano .*

*centro integro, et minime sinuato .*

*apice ad oris initium parum elato .*

*mediocriter producta Clavicula .*

*ore | dentato .*

*| edentulo .*

*| laeves .*

*| striatæ .*

*apice tenui et longissimo .*


*| striatæ .*

*| laeves .*


**BLANK  
PAGE**

Sectio .V. Cap. 1  
*Cochleis* <sup>de</sup> *Marinis apice breui,*  
*umbilicati, Sinu Austro.*

1. cochlea  
 albida,  
 crebris  
 lineis  
 subrufis  
 transuersim et  
 undatim ductis  
 depicta.



1



2. cochlea parua subrufa,  
 media et ima parte uolutae  
 albicante.

559



**BLANK  
PAGE**

3. cochlea albida, & lineis ex candido rufis  
catenatis insignita.


4. cochlea fusca, cujus  
lineas spirales aliquot  
albicantes inter-  
ocant characteres  
quidam nigri.

5. cochlea  
oper-  
culum  
striatum.

5. cochlea, clauicula paulum producta, lineis  
punctatis subrufis depicta.




§ 60



§ 61


9. cochlea alba, umbilico Pulvinata margine circumdato, clauicula  
compressa.



- a Sinu Canzuch. ind. Occ.

§ 62

10. cochlea alba luidior, ore interno et ipsa aure ex fusco  
nigricante, umbilico acuta margine circumscripto.




ibidem cum Superiora

§ 63


**BLANK  
PAGE**

11. cochlea, clauicula compressa, punctis rufis dense depicta.



§64


12. cochlea aurantiæ mali flauedinem imitans, ex albo nebulata.



13. cochlea subflaua, una parte uolutæ prince leuiter sinuata, quem sinum alba linea circumscrit.

§65

14. cochlea subflaua, unicolor.



barbad.  
jamae.

15. cochlea tenuis et pollucida, lineis aliquot latis depicta, ipsa aure et umbilico nigricante.




16. cochlea uariiegata, cancellata.




§66



**BLANK  
PAGE**




*19. cochlea sublimda, ore fusco, ad basin usque  
 orbis velut funiculus depingitur.*




569

568

**BLANK  
PAGE**



22. cochlea Nuxa nuda rarior, Tab. Col.




**BLANK  
PAGE**

Sect. V. Cap. 4.


de

Cochleis marini, basi, braui, apice  
ad ari Initium parum ELATO.


23. cochlea è caeruleo purpurascens.



24. Cochlea marina Ianthina Tab. Col.



25. cochlea  
ex rufis  
fuscata,  
lineis  
aliquot  
ex longis  
albis,  
maculis  
cateratis  
depicta.



**BLANK  
PAGE**



26. cochlea, ad medium orbis, unica rufescente linea  
depicta.



26



27

27. cochlea umbilicata, depressa, medio orbe acuto,  
variegata.




23. †

à fretto Magazzanico.



573

574

28. cochlea striata et muricata.




28



29

29. cochlea subviridis,  
umbilicata, variegata.



30

30. cochlea striata, guttatim depicta.

575

576

**BLANK  
PAGE**

Sect. V. Cap. 5.


de  
Cochleis marinis, apice mediocriter  
producta, ore DENTATO.




31. cochlea compressa Variegata, lateribus acutis,  
sinu, minimum, dentibus donata.




32. Cochlea compressa, fusca, fasciata, brevior, sinu  
longo ad rostrum notabile.



**BLANK  
PAGE**




34. cochlea uentricosior, fascijs ex nigro purpurascens, ad tergum coriè undatis,  
ipsa columella purpurea.



34. Buccinum variegatum tenue, V. 7500 d. 5. Tab. 602.


**BLANK  
PAGE**



34 a

580

35. cochlea nautica, ex flava viridascens.




35

afric.

jamaic.

581



35. a.

582

**BLANK  
PAGE**




36. cochlea parva, ex fusco rufescens, lineis  
aliquot undatis albis depicta.



36

37. cochlea levior et dense striata, crebris un-  
datis lineis rufis per obliquum depicta.



37

Barb.  
jamac. 38




38

38. cochlea sublimda, nigris lineis undatis distin-  
cta; hujus varietas est in qua linea et nigriores et  
multo plures sunt.


583

39. cochlea rufescens, aliquot lineis catenatis circumdata, ipsa una primi orbis parte leviter  
sinuata.


40. cochlea viri-  
descens, aliquot  
lineis catenatis  
ex albis ruf-  
escens macu-  
lis compositis  
depicta.




39



jam.



41



40



42


41. cochlea rufescens, stris Nodosis exasperata.

42. cochlea stris levior no-  
dosis guttatum depicta, oris mar-  
ginis interna serrata.

584

43. cochlea nigricans, dense ac levior striata.

A



43




44




585

**BLANK  
PAGE**

45. cochlea, suburidi, maculosa, striata, umbilicata.



586 1




587

**BLANK  
PAGE**

Sect. V. Cap. 7.

De

*Cochleis marinus*, apice mediocriter producta,  
striatis.



47. cochlea alba, uentricosa,  
bidentata, strigis eminentibus  
exasperata.



48. cochlea similis, paulo productior.



49. cochlea similis, cylindracea,  
denticulata et laevior striata.



50. cochlea ex fusco  
rufescente, ore promissa, et  
obliquis et rectis strigis exas=  
perata.



51. cochlea uas=  
tricata, strigis raris adm=  
odum eminentibus exasperata.




52. cochlea alba, inâ parte cuiusq. orbis crenata.

**BLANK  
PAGE**





54. Buccinum striatum  $\text{B} \propto \Delta \Pi \Upsilon$  5 Fab. Col. cochlea, alba dense et acute striata.




55. cochlea ex fusco rufescens, dense et lauior  
striata.

590


56. cochlea albida, ad unum quomq orbem ima uel  
altera stria magnifula.



57. cochlea alba, dense striata, orbis primi  
superiore parte paulo depreßiore.



58. cochlea alba, medio quoq orbe late  
Excavato.




59. cochlea longissima clauicula, medio quoq orbe uia  
ualde acuta et eminente stria.

591

**BLANK  
PAGE**




60. cochlea variegata, dorsi et admodum tenuiter striata, item  
quolibet orbe duae insignes striae parallelae.



592

Sect. V. Cap. 9.

<sup>de</sup>  
Cochlis marinis planiculatiorij et longissima,  
Lavis.



61. cochlea variegata, parum aut tenuiter striata, parte orbis cuiusq; superiore, fortiore.

593

**BLANK  
PAGE**

*Buccinorum Marinorum*

*Sectio VI.*

*de Neritis.*

*Neritæ sunt vel*

*Dentati, certè ex parte Columella,*

*labro crasso.*

*maiusculis dentibus.*

*exiguis.*

*apice paululum exserto.*

*compresso.*

*labro tenui, paululum extento,*

*variâ pictura elegantè insignitj.*

*striatj.*

*fuscatj.*

*maculosi.*

*Edentulj,*


*laues.*

*muricatj.*




**BLANK  
PAGE**

Sect. VII. Cap. 1 de neritis DENTATIS,  
clavicula paululum Prominente.




1. nerita maximus variegatus, Striatum, ad columellam ex auro aut croceo rufescens.

barb. jamaic.



barbad.


2. nerita profunde striatus, ex purpura nigricans, seu variegatus.




3. nerita profunde sulcatus, dentibus introsum flexis,

**BLANK  
PAGE**

4. *norita* admodum *Tenuis* et *lavis*, *raris* et *profundis* *Sulis*  
*donatus*, *jg*, *nigris*, *ipsa* *clavicula*  
*Flavescente*, *duobus* *tribus* *ue*  
*braubus* *dentibus* *ad* *columellam*,  
*ad* *labrum* *omnibus* *edentulus*.




5. *norita* *niger*, *leuiter* *sulcatus*, *s*  
*exiguus* *dentibus* *ad* *columellam*.




*Jamaic.*

6. *norita* *nigricans*, *leuiter* *sulcatus*, *clavicula* *parum* *compr-*  
*essa*, *multis* *et* *exi-* *guis* *dentibus* *ad* *labr-*  
*um*, *admodum* *paucis*, *braubus*, *et*  
*acutis*, *ad* *colum-* *ellam*.



8. *norita* *magnus* *variog-* *atus*, *sulcatus*, *columella*  
*rugosa*, *ipsa* *tamen* *et* *rostrum* *ferè*  
*edentulus*, *ipsa* *clavicula*  
*acuta*.



596

*norita* *profundè* *sulcatus*, *ex* *albo* *nigroq*,  
*variogatus*, *paucis* *et* *exiguis* *dentibus* *ad*  
*columellam*, *ad* *rostrum* *multis* *et* *longè* *diductis*.



*barbad.*



*afric.*

10. *norita* *exiguus*, *niger*, *lavis*, *aut* *certè* *leuiter*  
*admodum* *sulcatus*, *utrinq*, *dentatus*.


597

**BLANK  
PAGE**



*Sect. VI. Cap. 2.  
De neritis dentatis, clauicula  
Compressa, Striatis,*

11. nerita magnus,  
Tenuiter Striatus,  
ipsa clauicula, et  
ore interno Citrino.



11

12. nerita exiguis dentibus tantum ad columellam<sup>m</sup> profunde  
Striatus, variegatus, seu ex  
riso fasciatus.




12

13. nerita tenuiter Striatus, ad columellam tantum dentatus,  
undatis maculis nigris eleganter distinctus.




13



14

14. nerita ore utring<sup>q</sup> dentato, stris magnis et paruis alternatim  
dispositis donatus.

**BLANK  
PAGE**



15. nobile profundis et latis sulcis, Striisq. ad eo  
paucis et altis distinctis, variegat, utrinq. dentatus.

699



**BLANK  
PAGE**



18. *nerita exigua*, *Vicidius*.



barbad.




19. *nerita reticulatus*, *clavícula adunca*, plurimè  
et exiguis *dentibus* ad *columellam*.



20. *nerita ex fusco purpurascens*, tribus *fasciis* et *qualibus* *varie-*  
*gatis* *elegantè* *depictus*.

601

602



21

21. *nerita albidus*, ore *citrino*, *miniaturis* *fasciis* *inequalibus*  
*depictus*, an *idem* *cum* 17.?



22



22. *nerita ex flavo subviridis*, *citrinis* *undis* *elegantè* *depictus*.



23

23. *nerita maculosus*, *purpurascens*, tribus *velut* *fasciis* et *nigris*  
*quibusdam* *caractibus* *confectis* *depictus*.

603

**BLANK  
PAGE**

*Sect. VI. Cap. 4.*  
*de Neritis ad COLUMELLAM DENTATIS,*  
*labio productione, edentulo.*

24. nerita albidus, lineis aliquot angustis, nigris, undatisq;  
 depictus, quibus etiam singulis sua umbra est,

25. nerita latilineus, intersitijs albis  
 distinctus.



24

26. idem maculis ad intersitia  
 latis, flavescentibus.



25



26

27. nerita Vagularius.

28. nerita RETICULATUS.

29. nerita maculis trigonis depic-  
 tus.



27



28




29


Barb.

**BLANK  
PAGE**







34. *nerita nigricans, qui color maculis etiam distinguitur, lata fascia albicante una vel altera depictus.*  
 35. *nerita quasi squamosus, binis fasciis squamosis eleganter admodum depictus.*  
 36. *Idem aut simili interstitijs purpurascens notabilis*  
 37.



38. *nerita reticulatus sive squamosus, labro productione, fascia lata albicante insignitus.*

606


**BLANK  
PAGE**



**BLANK  
PAGE**




**BLANK  
PAGE**




2. *auris marina major, latior, plurimis foraminibus, eorumque uestigijs ad 40 circiter  
conspicua, clavicula elata.*

611

*Afric.*



3. *auris marina minor, dense striata <sup>ex</sup> Margine interna.*




4. *auris marina aspera, clavicula lata, compressa, item  
Limbo ualde lato insignita.*

612

**BLANK  
PAGE**






5. *auris marina ingens, profunda, sulcata.*

613

6 *Auris marina laevis, è flavo-viridescens, columella plana et paululum cavata.*



6

614

**BLANK  
PAGE**

*Historia Conchyliorum*

Libri IV. SECT. VIII.

De Trochis.

Trochi: sunt uel,

Pyramidales;

apertura, siue basi

leuiter Tumida.

paululum caua, siue Sinuata.

Plana.

Clauicula Breuiore, medijs orbibus  
Tumidioribus, columella Erectiore.

Umbilicati;

dentati.

edentuli.

Columella Integra.

media basi Tumida, clauicula

Compressa.


Unico dente Acuto ad columellam.

**BLANK  
PAGE**

Sect. VIII. Cap. 1.

de

*Trochis Pyramidalibus, apertura siue  
basi leuiter Tumida.*



*1. trochus pyramidalis uariiegatus, Limbo angusto in Summo.  
quoq orbe circumdatus.*




*2. trochus pyramidalis parvus, ruberrimus, fascijs crebris exas-  
peratus.*

**BLANK  
PAGE**




3. trochus. P. maximus, luteo radiatus ex rubro.

617



4. trochus. P. parvus, ex viridi variegatus.

618




5. trochus. P. ex rubro variegatus, asper, sinuosus.

619

**BLANK  
PAGE**





6. *trochus*. P. major, ex rufo late nubilatus.

620



7




8


8. *trochus*. P. exiguus, rubri lincolii undatim depictus, striatus.

621

9. *trochus* planior. P. striatus, muricibus radiatim ad marginem dispositis.




9



9 a


an idem imperfectior?

623



622


**BLANK  
PAGE**



ad exemplar Holleri.


10. trochus *P. fuscus*, *Striatus*, clavacula valde producta.

624



11. trochus *P. variegatus*, crebris nodis exasperatus, auricula tortili insignitus ad columellam.

625



11. a


626

**BLANK  
PAGE**

SECTIO VIII. Cap. 2.

de

*trochis pyramidalibus, basi  
paululum caua sua sinuata.*




13



*13. trochus planior, striatus, basi valde caua.*


**BLANK  
PAGE**



14. trochus P. albidus, striatus, muricatus.

Jamaica.  
Barb.

628




15. trochus P. tenuis, albidus, asper, et inequalis.

629




16. trochus maculatus, nodosus, auricula tortili donatus.

630



17. trochus P. variegatus, strigis nodosis distinctus, basi ualde caua.




18. trochus P. grauis, variegatus, angustior, strigis nodosis exasperatus.

631

**BLANK  
PAGE**






19. trochus *P. breuior* ex rubro undatim uariatus, ceterum subcaeruleus, serij majusculi nodosis ualde asper.




21. trochus *P. parvus* ex uiridi siue subcaeruleo uariatus, insigniter umbilicatus.




20. trochus *P. uariatus* nodosus, columella dentata.

632

633




**BLANK  
PAGE**



23 trochus planior, striatus, margine pulvinato, umbilico omnino edentulo.

635





ad exemplar HOLLERI.



24. trochus planior, maculatus, umbilico leviter dentato, lavis.

636

**BLANK  
PAGE**



26. trochus dentatus, ex fusco uariiegatus, nodosis  
fascijs circumdatus.

Barbad.



28. trochus parvus, leuis, ex fusco late radiatus.

27. trochus parvus, leuis, maculatus.

Barbad.




**BLANK  
PAGE**

Sect. VIII. Cap. 5.  
de  
*Trochis Cochleiformibus, Umbilicatis,*  
EDENTULIS.



29. trochus umbilicatus, edentulus, striatus undatim ex fusco radiatus.



Barbad.

30. trochus maximus acutus, ex nigro maculatus.

640

31. trochus parvus, striatus, undatim ex fusco dense radiatus.



32. trochus planior, undatim ex rubro late radiatus.

641

**BLANK  
PAGE**




Sectio. VIII. Cap. 6.

De


*Trochus clauicula brevior, Columella  
paulo Erectione Integra.*

*Mar. Medit.*



33

*33. trochus laevis, ex nigro seriatim dense maculatus.*



34

*Tro. Canaria.*


*34. trochus valde simili, praefigunt quod orbium pars inferior  
sit paululum sinuosa.*

**BLANK  
PAGE**



35

35. trochus levis, fasciis catenatis ex nigro albidis, cum immixtulo quodam opere depictus.




36

36. trochus fuscus, nodosus, muricatus.


643

644



37

37. trochus variegatus, ore dentatus, fasciis nodosis circumdatus.




38

Barbad.

38. trochus major variegatus ex viridi rufoque, basi laevi, stygi multum exstantibus distinctus.

645



39


Barbad.

39. trochus parvus, basi, nodosa, reliquum muricatus.


646

**BLANK  
PAGE**

40. trochus magnus, basi profunde sulcato, asper, sive murica-  
testis.



40  
Jamaica.



41. trochus major, fuscus, asper, auricula latè crocea.


41

647



42

42. trochus latus, subrubris undis eleganter  
depictus.




43

43. trochus tenuis, ruber, quasi reticulatus.

648

**BLANK  
PAGE**



45. trochilus planus, subruber.



47. an idem cum superiore. n. 44?



46. trochilus planus, margine ex albo maculato,  
subruber, unica fascia vermiculata depictus.

650



48. trochilus planus subfuscus, opere quodam  
vermiculato ex toto depictus.

651

**BLANK  
PAGE**






49. trochilus planus, subfuscus, vermiculata pictura rariore depictus.



50. trochilus planus ex purpura nigricans, ipsa margine ex albo vermiculata.

652



**BLANK  
PAGE**



54

54. trochilus uni-dens, striatus, clavicula tenui, acuta.

644

Libri. IV. Sectio IX.

de  
Conchis Veneris.



Conchæ Veneris sunt vel,  
Oris hiatus, sive rimâ strictiore, utrinq; dentata.  
laxi;  
Unicolores, sive minime maculosæ.  
lineis nigris secundum longitudinem depictæ.  
lineis transversis undatim exaratis.  
Fasciatæ.  
maculis sive punctis nigris distinctæ.  
maculis albis nigrisq; interspersis insignitæ.  
asperæ;  
striis eminentibus transversis conspicuæ.  
punctis elatis nodisve inæquales.  
apertura laxiore, et non dentata.  
basi integræ.  
basi umbilicata, profundo foramine intus  
Cochleato.

645

**BLANK  
PAGE**



**BLANK  
PAGE**




*3a. eadem cum superiore. m. s. pictura ex parte detrita.*

**BLANK  
PAGE**



4.C.V. cinerea; uentre candido; utroq; capite croceo; dorso nigro  
lineolis et puncturis depicta.



Madagascar.  
Ins. mauritio.

660


Sect. 1X. Cap. 3.  
de  
Conchis Veneris undatim depictis.



5.C.V. parua, uentre subluteo, maculoso, dorso undatis lineolis  
ex triplici ordine depicta.


661

**BLANK  
PAGE**



Madagascar.


6  
C.V. admodum levis, undata, clauicula acuta,  
prominula.



7 eadem aut ualde simili, dorso gibboso, fasciata.



**BLANK  
PAGE**



Madagascar.

9.C.V. Eadem, at multo leuior testa.

665




*S. maldini*


10.C.V. parua, candida, tribus latius fascijs nigricantibus depicta.

666

11.C.V. fusca, ualde lani, Duabus fascijs albidis exornata.



Barbad.




12.C.V. erefia, uentre Subcroceo, tribus fascijs albidis depicta.

667

**BLANK  
PAGE**


*C.V. parva subcinerea, ventre candido, unica fascia fusca, calaq. circumdata, dorso paululum gibboso, admodum leui.*



*Madagascar.*


*14.C.V. magna, Angusta, ipso ventre et denticulis nigricantibus; dorso albedo, tribus fasciis depicto.*

668



*15.C.V. magna, leui, subcinerea, vel sublimida, in dorso trifasciata.*

669



*Iamae.*


*16.C.V. parva, subfusca, leui, clato dorso, bifasciata.*

670

**BLANK  
PAGE**




*Conchæ Veneris Fasciata, Et  
Maculata, aut alias cum fascijs  
Variegata.*



*17. C. V. LEVIS, ex fusco rufescens, bifasciata, ad claustrum  
tribus aut pluribus maculis nigricantibus depicta, item ad  
ceruicem viris tantum.*

671



*18. C. V. magna, LEVIS, albida, maculis majusculis fuscis depicta,  
quasi bifasciata.*

672




*crosta*  
*19. C. V. fusca, bifasciata, et clauicula et lingue canali croceis item  
utrinque.*

*Ascanio.*

673

**BLANK  
PAGE**


20. C.V. parva, angusta, lunda, dorso bifasciato, denticuli  
trem totum occupant, utroq; capite et laterib; maculatis.



*I. Maldive.*

21. C.V. parva, angusta, lunda, ventre Plano, levi, maculatis late-  
rib; dorso fasciato.


674



22. C.V. fusca, magna, levis, gibba, fere trifasciata, fusca, grandi-  
b; maculis albidis depicta.


675

24. C.V. angusta, levis, bifasciata, fuscis maculis depicta.



23. C.V. levis, subfusca, bifasciata, maculis exiguis  
candidis notata.


676



*Madagascar.*


677

**BLANK  
PAGE**



an eadem cum A. superiore?  
pictura in hac tabescente et multum detrita.

679



25. eadem, pictura ex parte oblitterata.  
a. Madagascar.


678




27. C. V. <sup>li</sup>subulda, quasi bifasciata, magnis maculis ex atro-  
purpureis in lateribus depicta.

680

**BLANK  
PAGE**



29. C. V. magna, gibbrior, latior, multis majoribus maculis  
 nigricantibus, donata.




*Madagascar.*

682

**BLANK  
PAGE**




30 C.V. ergata, dorso nubilato, lateribus raris maculis nigris depictis,  
ipsa ventris rima suberecta.



à Sunda-Ind. Or.  
S. Mauritio. Accentio.


683



31 C.V. Levis, maculis rufescentibus dense exornata, ventre  
albo.

684


32 C.V. lata, gibba, innumeris maculis fuscis distincta.



à Sunda.

685

33 C.V. levis, minor, maculis subflavis depicta.




Madagascar.  
à Sunda-Ind. Or.

686

**BLANK  
PAGE**


34 C.V. ex viridi fuscescens, lata, ualde gibbosa, maculis fuscis  
latis depicta.



Tamara.


687

35 C.V. fusca, angustior, minimè gibba, maculis latis fusco-  
rufis et viridibus depicta.




688

36 C.V. maxima, longissima, maculis ex fusco rufescentibus.




689




37. eadem cum superioribus. 11. 12. 24. 25. ventre et lateribus  
incrassatis.

690

**BLANK  
PAGE**




39. C.V. cinerea, infinis albis puncturis exiguis depicta;  
 item ad mediam marginem utriusque lata macula ex fusco  
 nigricante.



*S. Mauritio. Recentio.*


**BLANK  
PAGE**

40. C. D. *crassa, subfusca, maculi albi diversa magnitudinis depicti, ad latu lineis aliquot fuscis dense quam striata.*



*a Sunda, Ind. Or.*

693



41. C. D. *parva purpurea, exiguis maculis albis dense depicta.*

694



42. C. D. *parva, ventre et lateribus albidis, dorso subflavo, albis maculis majusculis et sphaericis distincto.*

695




43. C. D. *parva, latiuscula, paululum gibbosa, ventre maculoso, dorso fusco, et albis innumeris et paucis nigris puncturis depicto.*

696

**BLANK  
PAGE**




44. concha. V. maxima fusca, innumeris maculis albis depicta.



697

45. concha. V. major fusca, cui maculae majusculae albae, item maculae fuscae albis circulis circumdatae.



Jamaica.


45

Iam.

698

**BLANK  
PAGE**

46. Eadem cum proximè Superiore, tamen fasciata, et majoribus maculis.




Jamaica.



699

ooL

48. C. v. parva, tenuis, ventre laute purpurascete, maculosq. item in dorso huic maculae quaedam nebulosae et puncturae albae.



Bengal.




49. C. v. parva, tenuis, rima candida, dorso fusco, maculis albis reticulatum depictis.

701

47. C. v. parva, tenuis, rima candida, dorso fusco, maculis albis reticulatum depictis.

**BLANK  
PAGE**

*Concha Veneris maculis albis  
quasi Reticulatis depicta.*




*I. Mauritio.*

*50. C. V. crassa, uentre lato, rima albida, lateribus nigricantibus,  
dorso summo albis maculis depicto.*

702


*52. C. V. magna, crassa, lata, uentre et ipsa rima nigricante, dor-  
so magnis maculis reticulatis depicto.*



*Ins. Mauritio.*


703

*53. C. V. tenuis, lateribus, nigricantibus, dorso maculis albis distincto,  
an eadem cum. 12. 492.*



*Ins. Mauritio.*


704




*54. C. V. major angusta, in uentre & maculae latae nigricantes; in  
dorso circuli fusi rotundi.*

705

**BLANK  
PAGE**




57.C.V. exigua, Striata, leuiter admodum rufescens, in summo  
 dorso integro maculae rufescentes.



**BLANK  
PAGE**





X

*59. C.V. lata, ponderosa, aliquibus nodis inaequali, modo alba,  
modo citrina.*



*Nigritarum moneta.*



59

*Afr.*

*Smabi Puri dicti, juxta Gondam Lovardo expiscati.*


709

*60. C.V. subflava, modo exigui tuberculis exasperata, modo  
laevi, capitibus Bicornibus.*




60

*61. C.V. fere albida, dorso striata et nodoso, capite utroq;  
bicorni.*



61

*Madagascar.*




62


*62. C.V. plumbea, verruculis rotundis croceis exasperata, ventre  
subpurpureo dentato.*

710


**BLANK  
PAGE**



67. C. V. parua, alba, dorso acuto, ad utrumq. caput uelut singu-  
lariter uerua labro altero rugoso.



67



68

68. C. V. alba dorso articulato, leuiter admodum striata.



712



**BLANK  
PAGE**



70. C.V. exigua, alba, uere cylindracea.



71. C.V. major leuiter et dense  
Striata.


72. Concha utroq. latere se colligens, Fab. Col. umbilicata, ex fusco maculata,  
labro sinuato.



73. C.V. umbilicata, labro promisso.

714

74. C.V. umbilicata, tenuis, stris undatis uel ramificatis depicta.



75. C.V. umbilicata, tenuis, innumeris lineis nigris circumscripta.



715

**BLANK  
PAGE**



Historiæ Conchyliorum  
libri IV. SECT. X.  
Rhombis <sup>de.</sup> sive Strombis.  
Rhombis sunt uel  
Cylindracei  
| columella DENTATA, CRASSI,  
| unius coloris.  
| maculosi . .  
| fasciati .  
| undati .  
| dorso gibbo .  
| EDENTULI, TENUES,  
| ore strictiore,  
| patulo, clavicula EXERTA .  
| Depressa .  
Cylindro-Pyramidales etc.

**BLANK  
PAGE**






**BLANK  
PAGE**



6. Rhombus paruis, majusculis maculis distinctus, et labro et columella ex uiole purpurascens.




7. Rhombus paruis angustior, dense maculatus, labro tantum interno leuiter purpurascens.



8. Rhombus exiguus, minute admodum punctatus.


**BLANK  
PAGE**




10. Rhombus ventricosus, callosa columella.

**BLANK  
PAGE**

12. *Rhombus fuscus, quasi reticulatus, clauicula integra.*



11. *Rhombus major, ex fusco undatus et fasciatus, clauicula sulcata.*



Barb.

12



13 Barb.

13. *Rhombus exiguus, fere albidus, clauicula productione.*

724

725

13. a.



726



14


14. *an idem cum. n. 11? fasciis nigricantibus.*

727


**BLANK  
PAGE**




15. *Rhombus* quasi reticulatus et fasciatus, clauicula sulcata, compressa.



17. *Rhombus* parvus, tenuis, rictu patente, ipsa columella fusca, clauicula productiore acuta.




16. *Rhombus* nebulatus et fasciatus, columella sub-  
= crocea, clauicula sulcata.



728

729

18. an idem cum proximo superiore, sed ventricosior.



19. *Rhombus* columella ima callosa, minus ventricosus.


730

**BLANK  
PAGE**



21. Rhombus idem aut similis cum. n. 3. sed magis undatus.


22. Rhombus exiguus, medio undato, ipsa clauicula candida, color. nullo callosa.



732

733

**BLANK  
PAGE**



23. Rhombus crenatus undis exaratus, clau-  
cula obtusa, sulcata.



24. Rhombus densis undis depictus, clauicula, ob-  
tusa, sulcata.

734




lib. IV. Sect. x. Cap. 5.  
De Rhombis cylindr. dentat. Dorso gibboso.


25 Rhombus gibbosus, et fuso nigricans, und-  
ulatus.

735

**BLANK  
PAGE**



32. Rhombus angustus, tenuis, punctatus.




33. Rhombus tenuis, uirgulis catenatis et bicoloribus circumdatus.

**BLANK  
PAGE**



26. *Rhombus gibbosus*, fasciatus, et tenuiter undatus, clavicula  
acuta et paulum producta.



27 *Rhombus gibbosus*, ex toto nigricans.  
28 *Rhombus gibbosus*, ex nigro fasciatus.



739



29. *Rhombus gibbosus*, undis variis exaratus.


740

**BLANK  
PAGE**



38. Rhombus proxime Superiori similis, at præterea uermicu-  
latus depictus.



742




39. Rhombus grauior ex rufo nebulatus, item lineis intersec-  
tis dense circumdatus.

743

**BLANK  
PAGE**




35. *Rhombus graui* rostro strictiore, *Stryx punctatus* circula-  
ribus exasperatus.



744

745

36. *Rhombus maximus*, ex rufo uermiculatus, clauicu-  
la muricata.



40. *Rhombus breuior*, croceus.




*Int. Mauritio*.

746


747

**BLANK  
PAGE**

Libr. IV. Sect. x. cap. 8.  
 de Rhombis edentulis, ore patulo, clauicula  
 Compræsa.




42. Rhombus tenuis, ex rufis maculatus.



43. Rhombus tenuis, ex fusco nebulatus, fasciatus.

**BLANK  
PAGE**





44


44. *Rhombus parvus tenuis, subpurpureus, maculi fuscii fasciatim depictus.*



45

45. *Rhombus parvus, tenuis, subfuscus, bifasciatus.*


46. *Rhombus maculatus, cancellatus, et asper.*



46

749

750



46. a

751

**BLANK  
PAGE**

*Historiae Conchyliorum*

*libri IV. Sect. x.*

*Pars Secunda*

*de*

*Rhombis Cylindro-Pyramidalibus*

*Rhombi cylindro-pyramidales sunt uel*

*oredentulo, fere longo et angusto;*

*Unius Coloris, certe minus variegati.*

*strijs, aut verruculis exasperati.*

*quibus lineae Maculae circum injiciuntur.*


*Vndati.*

*Fasciati.*

*Reticulati depicti.*

*labro, aut columella, aut utroque Dentato.*


**BLANK  
PAGE**



2. Rhombus. C.P. leucophæus, ipso rostro violaceo.


**BLANK  
PAGE**

8. Rhombus parvus, albus, bullatus .




7. Rhombus. C. Post. capillaceis punctatig circumscriptus, clausula integra .

755



756




9 Rhombus. C. P. maculis exiguis suis puncturis lineolam circumscriptus .

757

**BLANK  
PAGE**




3 Rhombus. C.P. Similis, paulo coloratior, rictus fore toto viola  
coo.



In. Mauris.

758

4 Rhombus. C.P. Suberocent, bullatis fascijs ad rostrum, clausula  
muricata.



In. Mauris.


759

libr. IV. Sect. x.  
Cap. 2. R.  
de Rhombis STIATIS.

5 Rhombus. C.P. Subpurpureus, strys majusculis et  
eminentibus circumscriptus.  
6 Rhombus. C.P. ex rufa nebulatus, strys capillaceis dona  
tus, clausula sulcata.


76

**BLANK  
PAGE**




10. *Rhombus*. C.P. puncturis exiguis lineatum circumscriptus, clauicula muricata.

761



11. *Rhombus*. C.P. magnus, lineis intersectis, ex rufo alboq. circumscriptus, clauicula plana.


762



12. *Rhombus*. C.P. subulundus, lineis ex rufo alboq. intersectis circumscriptus, clauicula paulum exserta.

763


à Sinu Bengal.



13. *Rhombus*. C.P. ex rufo nebulatus, lineis quibusdam intersectis circumscriptus.


764

**BLANK  
PAGE**




14. *Rhombus*. G.P. tenuis et nebulatus, et lineis intersectis circumscriptis, clavicula acuta.

766



766



16. *Rhombus*. G.P. subreflexus lineis ex albo nigroq. pulchre intersectis, clavicula acuta.


17. *Rhombus*. G.P. albus, lineis latis croceis intersectis circumscriptis, ipso rostro purpurascens.

767




768

**BLANK  
PAGE**




17.b.



17.c.

769

770.




17.d.

771


**BLANK  
PAGE**



18. *Rhombus*, C.P. ex rufo nubilatus, et hic et illuc aliquot lineis interpunctatis descriptus.




772



19. *Rhombus*, C.P. simili, at in hoc linea punctata velut quidam characteres ignoti conspiciuntur.


773




20. *Rhombus* maximus, C.P. albus quadratis maculis nigricantibus circumscriptus in medio tamen duae plagulae luteae conspiciuntur.

774

**BLANK  
PAGE**




21. Rhombus ex rufo nebulatus, angustior, latus tenu-  
=gimū bullatis sine punctatis exasperatus, clavicu-  
=la productiore, laeviter muricata.




775

776




23. Rhombus ex rufo nebulatus, exigui lincoli ad rostrum bulla-  
ti exasperatus, clavicula muricata.

777





24 . a .



24 . b .

778


**BLANK  
PAGE**



27. Rhombus sublateus. C.P. lineis quibusdam punctatis et fascijs  
undatis depictus.

780

Jamaica.



28. Rhombus major. C.P. undatis, secundum longitu-  
dinem, depictus, clavicula compressa.

781

**BLANK  
PAGE**



29

29. *Rhombus C. P. ex rufis undatus, clavicula acuta, sulcata.*

782



30


30. *Rhombus C. P. tenuis, albidus, raris undis. Sub-rufis depictus.*

783



**BLANK  
PAGE**






32. Rhombus. C. Plinai integri subrufis dense circumdata =  
tus.

33 Rhombus ex rufo fasciatus et undatus, clavicula  
tenui et acuta.

34 Rhombus. C. P. fasciatus et radiatus, rostro  
ore nigricante.




36. Rhombus. C. P. fuscus asper, et fasciatus  
37. Rhombus. C. P. leuifuscus, ex albo fasciatus, clavi-  
cula, p. ducta.



mare. mediter.

785

35 Rho: fasciatus et undatus, clavi: tenui.  
786.



libri. IV. Sect. x.  
Cap. 6.

de Rhombis Reticulatis.

39. Rhombus. C. P. reticulatus,  
clavicula nodosa.


39

ad exemplar Rambr. V. tyn.

787

**BLANK  
PAGE**

*Ins. Mauritio.*




40. *Rhombus major*. C.  
P. ex rifo vermiculatus.



41. *Rhombus parvus*. C.P.  
ex rifo minutissimis maculis reticu-  
latus et fasciatus.


*Rhombus*. C.P. parvus, ex rifo dense reticulatus.



42

788

789





43

43. *Rhombus*. C.P. ex rifo vermiculatus, sive maculis inaequali-  
bus reticulatus.

790

**BLANK  
PAGE**



**BLANK  
PAGE**

*Historiæ Conchyliorum*  
*libri IV.*

SECT. XI.

De


*Buccinis columella DENTATA.*

*Buccina columella striata siue dentata sunt*  
*CLAVICULA vel*


*Umbilicata, aut parum exerta,*  
*quibusdam Conchæ Persicæ dict;*  
*MEDIOCRITER PRODUCTA, fere pulchrè*  
*variegata, pleriq, CONCHÆ*  
*MUSICÆ dictæ;*  
*Longissima et TENUISSIMA.*

**BLANK  
PAGE**






2. Buccinum P. parvum, ex rufo nebulatum, clavicula  
obtusa.



795




3. Buccinum Persicum ex rufo nebulatum, clavicula profunde  
sulcata, ejusq. margine acuta.

796


**BLANK  
PAGE**

4. *Buccinum P. fasciatum*, clauicula muricibus coronata.




ad exemplar Kolleri.

797



5. an idem, corona detrita?

798




6. *Buccinum Persicum Undatum*, clauicula paululum exerta.

799

**BLANK  
PAGE**

7. Buccinum. Subfusum, maximum, angustum, clavula exserta, cuius margo admodum acuta est.



7


concha natantii alba magna Tab. Cor.

ab Orville Plummer.

**BLANK  
PAGE**




7.b.



801

*Concha maxima Nyselwos. Fab. Col. Concha Persica major Andrau.*



8


*8. Buccinum. P. subrefum, maxime uentricosum, clauicula cauata.*

802

**BLANK  
PAGE**




9. *Buccinum P. paruum*, fasciis rufis dense depictum.



10. *Buccinum P. paruum*, maculis rufis dense depictum.

11. *Buccinum P. paruum*, subliundum, leuiter ex fusco fasciatum.

803



12. *Buccinum P. labro digitato*, dorso striato.


13. *Buccinum P. labro digitato*, dorso strig. nodosis maculatisq. exasperato.

804


**BLANK  
PAGE**



15. *Buccinum Musicum*, minus, angustius, cla-  
vicula leuiter nodosa.




806



16. *Buccinum Musicum*, terree, ex fusco variegatum, clavicula  
obtusius, leuiter muricata.

807


**BLANK  
PAGE**



17. *Buccinum Muretum*, grave, undatum, clavicula muricibus admodum acutis armata.

808


18. *Buccinum Muretum*, grave, fasciatum ex lineis quibusdam intersectis, et maculatum, clavicula laeviter muricata.



ad. exemplar HOLZERI.

809

**BLANK  
PAGE**




Jamaica.

19. *Buccinum M. rostro muricato.*

810

21. *Idem cum 12. 19.*



21




22


22. *Buccinum M. parvum, fasciis punctatis depictum, clavicula striata.*

812

23. b.




24




814

20. *Buccinum M. parvum, ex rostro et clavicula muricato.*



20


811



23

à Sinu Bengal.


23. *Buccinum M. crassum, variegatum, ventrisum, dense striatum.*



23. a.

813

25. *Buccinum M. rostratum, pomarium facile crassissimum, fasciatum.*



25

815

**BLANK  
PAGE**



26. *Buccinum* *macrostratum*, et *clavicula* *tonsi* *donatum*, *maculis* *punctatum* et *fascijs* *exasperatum*.



26



27

27. *Buccinum* *mesopetiori* *simile*, *radiatum*.

816


28. *Buccinum* *mitense*, *subulundum*, *fasciatum*.



28


817

29. *Buccinum* *mesubryum*, *maculis* *albis* *dis-*  
*tinguendum*.



Barb.  
29


31. *Buccinum* *mesubryum*  
*dense radiatum*, *sive* *ex-*  
*co undatum*.



32. *B. m. undatum* et *maculatum*.

818

37. *Buccinum* *dentatum*, *fascijs* *depictum* et *strijs* *valde* *em-*  
*inentibus* *radiatum*.



37

820

33. *Buccinum* *dentatum*, *subryum*, *angustum*, *leuiter striatum*.



Barbad.



Barbad.

34. *Buccinum* *dentatum* *s-*  
*triatum*, et *quasi cancella-*  
*tum*.



35



36. *Buccinum* *dent.* *crostius*, *profunde striatum*.

819

38. *Buccinum* *dentatum*, *striatum* et *sanguin-*  
*eis* *guttis* *radiatum* *depictum*.



38



39

821


**BLANK  
PAGE**



40. *Buccinum dentatum*, ex fusco variegatum, lumbis striae de-  
mum arcuatum.


822

41. *Buccinum dentatum*, laeue, subreflexum, fascijs intersectis  
sive maculatis depictum.



41

Jamaica.



41. b.

822

43. *Buccinum dentatum* paruum, rictu compresso, sive a-  
gusto, variegatum, striae valde exasperatum.



43

Jamaica.

44. *Buccinum dentatum*, paruum, rictu arguto, laeue, qu-  
asi reticulatum.



44

mare, mediterr.

824



42

42. *Buccinum dentatum*, paruum, laute striatum, variegatum  
ventricosum.

823

**BLANK  
PAGE**

45. *Buccinum dentatum*, parvum, rictu angusto, laevé, exigui puncturæ fasciatum depictum.



46. *Buccinum dentatum*, parvum, R.N. laevé subrostratum, puncturæ albæ dense depictum.

825


47. *Buccinum dentatum*, parvum fasciæ obsoletæ albæ nigræ mucron depictum.



48. *Buccinum dentatum*, rufum, exigui maculæ albæ depictum, rictu subpurpureo.



826



50. *Buccinum dentatum*, rostratum, fuscum, clavicula muricata.


828



827


**BLANK  
PAGE**

51. *Buccinum dentatum*, rostratum, fuscum, ex toto muricibus horridum.




829

52. *Buccinum rostratum*, dense striatum, dente uno vel altero magno ad columellam.



52  
Meris.



53




54

53. *Buccinum dentatum* rostro tenui productiore insignitum, strigis et plicaturis eminentibus exasperatum.

830

**BLANK  
PAGE**






55. *Buccinum dentatum*, admodum crassum, fuscum, laeviter et dense striatum, ventricosum.




831



56. *Buccinum dentatum*, rostratum, fuscum, laeve, clavicula acuta.

832



57. *Buccinum dentatum*, rostro recurvo, rictu auriculato, muricatum.

833



Barb.




60. *Buccinum parvum*, rostro integro, labro dentato, bifasciatum.



61. *Buccinum parvum*, rostro integro, angustius, labro dentato multifasciatum.

834

58. *Buccinum parvum*, rostro integro, tenuiter striatum, fasciatum, clavicula paulo productiore, unico dente ad columellam.




835

**BLANK  
PAGE**



63. Buccinum dentatum, L. fuscum, striatum, ex labro interno dentatum.




64. Buccinum dentatum, C. L. strigis dense radiatum.

**BLANK  
PAGE**

65. *Buccinum dentatum*, albidum, fasciis punctatis ex rufo-  
nigricantibus depictum, labro asperbo.

à Inf. Mauritio.




65




838

66. *Buccinum dentatum*, grave, maculi crocei  
majusculi fasciatim depictum.



66




67

67. *Buccinum*  
*dentatum*, grave, macu-  
li sanguineo-crocei distinctum,  
clavcula muricata.

839

68. *Buccinum dentatum*, magnis maculi crocei quadratis;  
fasciatim depictum, clavcula muricata.



68


840

**BLANK  
PAGE**




841

70. *Buccinum dentatum*. C.L. laeue, binis fasciis ex maculis quadratis magnis fusco-  
rufescentibus depictum.



842




71. *Buccinum dentatum*, laeue L.C. ex flavo nebulatum.

843

**BLANK  
PAGE**




72. *Buccinum dentatum* laeve, tenui fascijs angustis subrufis depictum.



72

Barb.

72.b.



72.c.




73

844


845

*Buccinum Persicum, churcum, nigrum, maculosum* Fab. Coz.



74

74. *Buccinum dentatum*, grande, bifasciatum.



75

75. *Buccinum dentatum*. Col. fasciatim punctatum, imo quoque muricato orbe.

846

**BLANK  
PAGE**

*Historia Conchyliorum*  
*libri IV*

SERIO XII.

De

*Purpuris Bilinguibus*

*Buccina siue Purpura Bilingues sunt vel*




*laues,*

*Striatae.*



*asperae et muricatae.*

*Digitatae.*

**BLANK  
PAGE**




4 . a .



848


849

**BLANK  
PAGE**



*Ins. Mauritio.*  
*Buccinum Bilingue, laeue, fasciatum, ore interno subroceo.*

850




*Buccinum. B. laeue, fasciatum, ore subroceo, columella nigricante.*

851

*7. Buccinum. B. laeue, ualde tenue, angustum, ex rufo uariogatum, clauicula productiore.*




*8. Buccinum. B. laeue, clauicula striata, imo cuiq. orbi limbus adyctus.*




852

*9. Buccinum. B. laeue, compactile, radijs, undatis rufis dense depictum.*




*10. Buccinum. B. laeue, ex rufo uariogatum, imo orbe et clauicula leuiter muricata.*




853

**BLANK  
PAGE**






11. *Buccinum B. laeue*, clavicula longissima, rostro  
tereti cornuto, labro muricato.



12. *Buccinum B. laeue*, longissima clavicula, labro muricato,  
rostrum cornuto, gibbosum, columello sinu ad  
tertium usq. orbem deducto.

854



12 a

*Buccinum Bilingue Canadense*,  
labro latij, ex inferiore parte mucronato,  
clavicula dense admodum striata,  
longa, tenuj.




12 b.

*Buccinum*  
clavicula tenuj  
varioribus, per totum

*Bilingue*, Labro dense striato,  
prodebiore. Strijs leviter undatis multum extantibus et  
fere buccinum, secundum longitudinem, decurrentibus.


856

**BLANK  
PAGE**




12. C.

**BLANK  
PAGE**




14. Buccinum Bifurcum siue variegatum, Striatum.




15. Buccinum B. crassius et breuius, variegatum, ore interno subpurpureo.



16. Buccinum B. tenue, Strijs dense circumdatum.



**BLANK  
PAGE**




*18. Buccinum Bilingue, graue, labro crosso sine pulvinate, maculatum, et Strijs et muricibus.  
exasperatum.*

**BLANK  
PAGE**



18.a.




**BLANK  
PAGE**

18. b.



863

19. Buccinum. B. grave, labro et columella subrocea, acuti. muricibus horridum, ipsa  
 clavicula dense striata.



19

*Murex Orthocentros purpureus Aldrouandi.*


864

**BLANK  
PAGE**







21. Buccinum B. maximum, laeve, ore purpurascens labro multo-digitato.  
Aporrhais Aldrovandi.



**BLANK  
PAGE**




857



23. *Buccinum* B. labro pluribus digitis distincto, et ore et columella dense striata.

868

23. *quodam* pars prona.




869

**BLANK  
PAGE**



*purpura Pentadactylos Bellonij.*




24. *Buccinum B. maculatum, Striatum, maxime ex toto ore, Seris digitis insignitum.*

**BLANK  
PAGE**



Jamaica.


25. *Buccinum B. subfuscum*, labro, crasso, ridu subcroceo intus striato, muricatum.




871

26. *Buccinum B. ex rufo variegatum*, ore interno subcroceo, profunde striatum, muricatum

27. *Buccinum B. variegatum*, levis striatum, et muricatum, apertura ex toto nigricante.



27




28

28. *Buccinum B. rostro recurvo muricata*, clavicula, infimo labro, in tenuem digitum valde producto.

872

**BLANK  
PAGE**



29. *Buccinum B. majus*, ex rufo radiatum,  
muricatum, unico digito in imo labro.


873

*Murex marmoratus Striatum et virgatus Aldrovandi.*



30. *Buccinum B. profunde Striatum*, muricatum, labro late patente, ejusq. ima parte digi-  
tata.

874



31. *Buccinum B. tenue*, Sulcatum, muricatum, columella et labro internq. leviter Striato.

875

**BLANK  
PAGE**

*Historia Conchyliorum*  
*libri IV. Sectio XIII.*


*de*  
*Buccinis Venticosis, clavicula*  
*Minus Exerta.*

*Buccina Ampullacea sunt vel*  
*ad Dextram tortilia,*  
*Lævia, aut certe minus aspera.*  
*Muricata.*  
*rostro breui.*  
*ad Sinistram conuoluta.*

**BLANK  
PAGE**




Sect. XIII. Cap. 1.  
De  
*Buccinis Ampullaceis, laevibus, aut certe minus asperis.*




**BLANK  
PAGE**

2. *Buccinum ampullaceum clavicula sulcata, in a parte cuiusque orbis in planum compressa.*




3. *Buccinum ampullaceum, laeve, an è bilinguibus detritis?*



878

3.2. *aliqua pars Urni Expositi proxime Superioris buccina 1.2.*



879

**BLANK  
PAGE**




36.

**BLANK  
PAGE**

3. c.


*Uterus expolitus, in plures cellulas, sine utriculos laeves ac subrotundos  
divisus, quarum margines planae ac obtusae sunt.*

3. c.



3. d.


*Uterus expolitus alter, cellulis striatis earumque marginibus acutis  
insignitus.*



3. d.

**BLANK  
PAGE**






4. *Buccinum Ampullaceum*, grand, variegatum, clausula extrema Puana, lenticul.


**BLANK  
PAGE**

8. Buccinum L. variegatum fasciatum, clavicula levis nodosa.




883


6. Buccinum R. undatum depictum, columella ima crocea.



883



884




6.b.

886

**BLANK  
PAGE**


7. *Buccinum ampullaceum*, striatum, clauicula muricata, apertura leuiter purpurascens .



Jamaica .

886

\* idem grandioribus muricibus .




Jamaica .

887

**BLANK  
PAGE**


9. an idem pictura quadam undata magis distinctum?



Jamaica.


888

10. Buccinum R. dense striatum, paulo ventricosius, clauicula brevior, acuta, imo tantum orbe acutis muricibus exasperato.




10

10. a.



889




890

**BLANK  
PAGE**




11. *Buccinum R. nebulatum*, primi orbis una parte pulvis-  
nata, ceterum clauicula leuiter muricata.




Barb.  
Jamaica.

891




12. *Buccinum R. mprillaceum*, rostratum, striatum et cla-  
uicula leuiter muricata.

892



12 a



14

14. *Buccinum R. rostro sinuosa*, tenue, striatum, muricatum,  
clauicula compressa.


894



13

13. *Buccinum R. rostratum*, strigis valde extantibus et  
intercedis exasperatum.

893




15

15. *Buccinum R. graue*, subfuscum, rostro leuiter umbilicato  
Sine sinuoso, striatum, muricatum, clauicula compressa.

895


**BLANK  
PAGE**

16. *Buccinum Ampullaceum* paruum, admo-  
dum tenuiter et dense striatum, rostro leuiter  
sinuoso, clauicula breui.




896

17. *Buccinum* R. rostro leuiter sinuoso, striatum fuscis q. fos-  
sis depictum, clauicula breui, primi orbis parte infima  
sinuosa.



897


18. *Buccinum magnum* R. tenue, rostro leuiter sinuoso, profundè et rarius sul-  
catum.



898


**BLANK  
PAGE**

19. Buccinum R. torue, rostro leuiter sinuoso, Strijs raris, torosis,  
ualde extantibus, Maculatis circumdatum.




a freto Malava.

899




**BLANK  
PAGE**

21. *Buccinum L. rostratum*, majus, muricibus longissimis instructum, ad Senos par-  
vo infimo orbe primo.



901


22. *Buccinum L. murellaceum*, rostratum, Striatum, triplici ordine muricum exaspe-  
ratum.



*Purpura clauata*, sive murex parvus rostratus Fab. Col. 902


**BLANK  
PAGE**





23. *Buccinum R. variegatum*, rostratum, striatum et leviter muricatum.

903




Jamaica.

24. *Buccinum R. fasciatum*, muricatum, labro patentiore.

904

**BLANK  
PAGE**




905



906

**BLANK  
PAGE**

*Sect. XIII. Cap. 3. de  
Buccinus Ampullaceus, ad Sinistram  
convolutis.*



*a Sinu Campeige  
Ind. occident.*


27

*Purpura marina, exotica, eaq sola cochlea  
è marinis est, quantum hactenus vidi, quæ à  
dextra Sinistrorum torquetur.*

*27. Buccinum R. Striatum, muricatum, item radiatum  
ex fusco.*

907.

**BLANK  
PAGE**



**BLANK  
PAGE**



*Historia Conchyliorum*  
*libri IV. SECTIO. XIV.*

De

*Buccinis et Rostratis, et clavicula*  
*productione.*

*Buccina Vtrinq, Productiora Sunt vel*

*Lævia,*

*Striis*

*densis et Tenuoribus,*

*paucioribus et multum extantibus*

*exasperata,*

*labro simplici,*


*Duplicato,*

*Muricata,*

**BLANK  
PAGE**




2. Buccinum Rostratum, grande, raris lineis circumdatum, læve, non nisi in parte cuiusq. orbis striata.



**BLANK  
PAGE**

4. *Buccinum R. majus*, cerasium, orbis paululum pulvis-  
-ati.



3. *Buccinum R. exiguum*, fuscum, admodum tenuiter stri-  
-atum, unica fasciâ nebulata medio orbe circumdatum.




5. *Buccinum R. gracilius*.

912

913

6. *Buccinum R. radiatum*.




7. *Buccinum R. intersectis lineis fasciatum*.


914

**BLANK  
PAGE**

8. *Buccinum* R. laevis, ima parte cuiusq. orbis ualde sinuosa.



915



9. *Buccinum* R. labro muricato, longissima clauicula, parte ima striata.

/

916


**BLANK  
PAGE**



Sect. XIV. Cap. 2.

De

Buccinis utring, productioribus, Strijs  
Densis et Tenuioribus exasperatis.



10




11

10. an  $\text{K}\eta\gamma\epsilon\zeta\ \delta\epsilon\gamma\gamma\chi\alpha\varsigma$ , Sive Buccinum rostratum  
forte  $\gamma\gamma\ \alpha\beta\ \delta\gamma\ \alpha\varsigma$ . Tab. Cox?

11. Buccinum R. maculatum, Striatum, asperum, figurâ ad  
imum labrè.



**BLANK  
PAGE**

11. a.



918

13. Buccinum R. ex flos nebulatum, aspero striatum, et  
nicosium.





12. Buccinum R. fuscum, leuiter et dense striatum.

919

920


14. Buccinum R. ex rigo fasciatum, leuiter striatum, sinuosum.

15. Buccinum R. striatum, maxime sinuosum secundum  
longitudinem orbium.



ab Im. mauris.

14. a.




921

922

**BLANK  
PAGE**

16. *Buccinum Riparium*, aliquib; binis tenuiter,  
unde aculis Strijs circumdatum.




924

17. *Buccinum Rasperum*, Striatum, ipso imo  
labro figo, Sinuosum.



925

19. *Buccinum R. variegatum*, luster admo-  
dum Striatum, singulis orbibus duplicatu-  
ra aliqua insignitum.



Jamaica.

21. *Buccinum R. Striatum* insigni-  
ter Sinuosum.




Jamaica.

20. *Buccinum rostratum*, tenue, exiguum, aspe-  
rum, Striatum, maculatum.

926

927

**BLANK  
PAGE**



*Jamaica.*

*22. Buccinum R. Striatum fasciatum fuscum Sinuosum.*

928




929

**BLANK  
PAGE**




25. Buccinum R. liscis subrufis circumdatum, angustius,  
sinuosum.



930


26. Buccinum R. duplicibus liscis subfuscis circumdatum, inter sinus nodosum.



Turbo annuum maximus Bonarij, in mari Rubro frequens.


931

**BLANK  
PAGE**




**BLANK  
PAGE**






**BLANK  
PAGE**



**BLANK  
PAGE**






31. *Buccinum Ruetricosius*, magnis striae intervallo donatum.


936

32. *Buccinum* R. labro duplicato, superiori sinist. ore an-  
guistiore, striae et eminentibus et nodosis.




937

34. *Buccinum* R. labro duplicato, compressum, cancellatum.



33. *Buccinum* R. labro duplicato, striae tenuioribus, emi-  
nentibus, rufesq. circumdatum, sinuosum.

938




34

34. a.




939

**BLANK  
PAGE**



36

94<sup>o</sup>




37

37. *Succinum R. magnum*, labro duplicato, quasi Triangulare.

Jamaic.

94<sup>i</sup>


**BLANK  
PAGE**



38

38. *Buccinum*. R. labro duplicato, Strijis latius et eminentibus  
distinctum, Sinuosum.


942



39

39. *Buccinum*. R. labro duplicato, dentato, duplici serie sinuum  
in cavato.

943




39. a.

944

**BLANK  
PAGE**



*Purpura, siue Murex pelagius, marmoreus. Fab. Cöl.*




41. *Buccinum. R. triplici ordine muricum canaliculorum horridum.*

**BLANK  
PAGE**




42. *Buccinum Bistratum, variegatum, gra-*  
*ue, plicaturis et raris aculeis donatum.*



42

*Mar. Mediter.*


947



43

43. *Buccinum R. labro duplicato, ipso ore exiguo rotundo,*  
*seris plicaturis striatis descriptum.*


948



44


44. *B. R. compressum, Aculeatum.*

949



44. b.

A



44. c.

*Buccinum heterostrophum ab ora maritima prope*  
*Harwich; a D<sup>no</sup> Dale collectum.*

950

**BLANK  
PAGE**

*Historia Conchyliorum*  
*libri IV SECTIO XV.*

*De*  
*Buccinis, quibus rostrum BREVE*  
*oris hiatum non excedens.*

*Buccina BREVI-ROSTRA sunt uel*  
*sinu ad rostrum*

RECTO,

Muricata.

Striata.

Leuia, aut clauicula Productione.

Labro Repando,

teruia.

Crasa.

Compressa,


REFLEXO,

Striata.

Leuia,

clauicula Productione.

**BLANK  
PAGE**



2. *Buccinum Breui-rostrum* paruum, striatum,  
 asperum, ex subcroceo variegatum.



3. *Buccinum B.r.* paruum, striatum, asperum,  
 ex albo nigroq. variegatum.



Barbad.

4. *Buccinum Breui-rostrum* paruum, nigrican-  
 tibus nodis fasciatim circumdatum.




ab. Inf. Mauritio.

5. an. idem, ore tamen strictiore, labro crassiore  
 et dentato.



ab. Inf. Mauritio.


**BLANK  
PAGE**




6. *Buccinum Breui-rostrum*, muricatum, labro  
dentato, ore ex purpura leuiter tincto, clauicula  
breui.

966


7. *Buccinum Breui-rostrum*, muricatum, ore ex purpura  
nigricante, dentato.




8. *Buccinum B.r. nodis* ualde eminentibus, at obtusis  
distinctum.



9. *Buccinum Breui-rostrum*, aculeatum, ore subulato, clauicu-  
la subita et acuta.



10. *Buccinum B.r. striatum*, leuiter aculeatum, siue nodis  
compressis subaculis distinctum.




Barb.

966

967

**BLANK  
PAGE**





11




u. b.

948

Sect. XV. Cap. 2.

De

*Buccinis breui rostris, Striatis.*




Barbad

12

12. *Buccinum Maximum, Variegatum ac striatum.* Fab. Col.

949


**BLANK  
PAGE**



13. *Buccinum Breui-rostrum*, maximum, ventricosius, ex rufo nebulatum, Nodosum.

960

*Buccinum B. r. tenuiter Striatum*, pluribus undatis Sinibus distinctum.



15. *Buccinum B. r. magnu-*  
*m, tenue, leuiter Striatum.*




15.A.

962



16. *Buccinum Breui-rostrum*, admodum Crassum, fus-  
-cum, tenuiter Striatum.



17. *Buccinum B. r. angustius et productius*, ex fusco  
fasciatum.

963

**BLANK  
PAGE**




*Purpuræ anglicanæ.*



*Vide. Tab: 827.*

964



19. *Buccinum B. r. album*, denticulo unico ad imam columellam.

18. *Buccinum B. r. supra modum crassum*, uentris = sinus, labro denticulato.

965

20. *Buccinum B. r. parvum*, asperum, sine densè rugosum, ore interno striato.

21. *Buccinum B. r. cancellatum*, densè sinuosum, labro dentato.



6  
965

966



22. *Buccinum B. r. hirsutum*, sinuosum, fasciatum, rostro leuiter distorto.

967

**BLANK  
PAGE**




22. b.



22. c.


23. *Buccinum B. r. fascijs crebro-nodosis exasperatum.*



23

968

969



24

24. *Buccinum B. r. columella velut callo quodam diffusa, crassi striatum, una parte cuiusq. orbis nodosa.*



25

25. *Buccinum B. r. columella callosa, car-*  
*-collatum.*



26



26

970


971

27. *Buccinum B. r. columella callosa, dorso bullato.*



27

Ind. Orient.



28


28. *Buccinum B. r. columella callosa, rufum, LAUR.*

972

973

**BLANK  
PAGE**





*Buccinum paruum cum animali*  
Fab. Columnæ.



30. *Buccinum B. n paruum, læuc, und-  
atim siue nebulatim depictum; item ad  
inum quæq; orbem latius uermiculata.*



975



31 *Buccinum B. r paruum, nigricans,  
leuiter striatum.*



32. *Buccinum B. n paruum nigrum, ex  
toto læuc.*


976

**BLANK  
PAGE**

34. Buccinum B. n. clauicula tenui et pro-  
ducta, laeue, lacinia quadam ad inum  
quemq orbem eleganter striata distinctum



33. Buccinum B. n. ex toto laeue, clauicula-  
tum.




35. Buccinum B. n. clauiculatum, laeue  
ex toto, et ore et columella fusca suturis  
quasi callosis.

977

978

36. Buccinum B. n. clauiculatum, striatum, macula-  
tum, orbibus quasi duplicatis distinctum.



37. Buccinum B. n. clauiculatum, orbibus superio-  
ribus laeuebus, caeterum striatum, fasciatum.





979

**BLANK  
PAGE**

39. Buccinum B. r. clauiculatum, maculis nigris undatim depictum.




40. Buccinum B. r. lineis subflavis circum depictum, ad unum quemq orbem striatum, ceterum laeue.



980


41. Buccinum B. r. ventricosius, laeue umbilicatum, croceis maculis, grandibus ex triplici ordine fasciatim depictum.

981




42. Buccinum B. r. clauiculatum, laeue, ex croco nebulatum, umbilicatum.

982




42.b.




42.c.

983

**BLANK  
PAGE**




45. Buccinum B. r. tenue, capillaceis Striis circumdatum,  
ex rufo infuscatum.



Jamaica.

44. Buccinum B. r. tenue, umbilicatum, asperius  
Striatum, variegatum.




985

986


**BLANK  
PAGE**



Sect. XV. Cap. 5.  
 De  
*Buccinus breui-rostris, labro Repando,*  
*Crassis.*




46. *Buccinum B. r. labrosum, striatis et intersectis*  
*lineis eleganter depictum.*



47. *Buccinum B. r. labrosum, crassum, versicoloribus*  
*sive intersectis lineis striatis latiusculis distinctum.*


**BLANK  
PAGE**



48

48. *Buccinum* B. r. labrosum, asperum, crassum, ore croceo, labro leuiter dentato.

988




49

Barbad.

49. *Buccinum* B. r. labrosum, crassum, nodosum columella lata Plana.


989

50. *Buccinum* B. r. labrosum, crassum, nodosum, columella plana, caq media Bimaculatum.



50

990




51

51. *Buccinum* B. r. labrosum, crassum, ore subroco, muscularium, rostro, umbilicato.

990

**BLANK  
PAGE**


52. Buccinum B. r. labrosum, crassum, variegatum, unico ordine clausum.



52


53. Buccinum B. n. labrosum, crassum, ex bino ordine muricatum, clauicula parum exserta.

Jamaica.



53

991



Bengal.  
Ind. Mauricio.


55

55. Buccinum B. n. labrosum, costis latis, plicatilibus et acutis distinctum.

Concha Nypisodis altera minor variegata Fab. Col.

992


56. Buccinum B. r. labrosum, ualde crassum, costis paucioribus cinctum.



56

993



57. Buccinum B. r. labrosum, argistius, leuius, costis tenuioribus, ex fusco eleganter variegatum.



57


994

**BLANK  
PAGE**




**BLANK  
PAGE**






62

997



63

998




64


999

**BLANK  
PAGE**

65. *Buccinum Recurvi-rostrum ventricosum, laute cancellatum, magnis maculis quadratis rufis circumdatum.*




1000



66 B. R. r. Ventricosum, labro pulvinato, variegatum striatum et asperum.


1001

67 B. R. r. ventricosum, labro pulvinato, variegatum striatum magni praeterea sulci ad clausulam donatum.



1002


68 *Buccinum Recurvi-rostrum, Muricatum, ventricosum.*



mar. mediter.  
*Coçlea Echinophoræ Rond. apud Aldrov.*

1003


69 B. R. r. ventricosum undatum depictum, clausula muricata.



*Turbo auritus tuberculatus, testa inferne crocea Aldrov.*


1004

**BLANK  
PAGE**



1005

70. B. E. r. *Pentricosum*, *maximè fasciatè*, *clausula muricata*




*murex triangularis* *Rondelety*.

70

1006

71. B. E. r. *Pentricosum*, *striatè*, *labro tenui*, *simplici*.




71

1007

**BLANK  
PAGE**






**BLANK  
PAGE**



71. c.



1009


71. d.



1010


*Cochlea Echinophora Aldrov.*

71. e.



*eadem.*


71. f.




1011

**BLANK  
PAGE**


*Buccinum recurvirostrum ventricosum, g  
ne, magnis maculis rufis fasciatim circumdatum*



1012




1013




1014

**BLANK  
PAGE**



*B. Recurui-rostrum, crassum et ponderosum, Sum-  
mo labro, et imo quoq; orbe leuiter muricato.*


74



74

*Buccinum Recurui-rostrum, uentricosum, tenue,  
maculis rufis fasciatim circumdatum, labro retusi.*

75




Barbad.

1016

**BLANK  
PAGE**



80. *Buccinum Recurui-rostrum, claviculatum, Stria-  
 et asperum.*



1018

**BLANK  
PAGE**




82. *Buccinum Recurvi-rostrum*, claviculatum,  
 Striis muricatis circumdatum.




1019

83 *Buccinum Recurvi-r. claviculatum*, album, laeve,  
 imis orbibus dense sinuosis.  
 84 *Buccinum Recurvi-rostrum claviculatum*, album,  
 sinuosum et leviter muricatum.




ab Inf. Mauritio. 1020

85 *Buccinum R. r. claviculatum*.




1022



1021

**BLANK  
PAGE**



87 *Buccinum Recurro-rostrum, claviculatum, magis aculeatum, ore croceo, utrinq. dentato.*

1023

88 *Buccinum Recurro-r. claviculatum, den-  
tatis nodis nigricantibus exasperatum.*



1024



1025

**BLANK  
PAGE**

Appendix  
ad  
*Historia conchyliorum*  
Librum. IV.  
de  
Bucciniris  
junc Lapidibus, qui buccina  
omnigena valde referant.







Londini  
aere incisa, Sumptibus authoris.

1692.

*Susanna et anna Lister figuras DELINEAVUNT.*

1026

**BLANK  
PAGE**





**BLANK  
PAGE**








1030



1032

1031

**BLANK  
PAGE**



1033

1034



1035

**BLANK  
PAGE**




**BLANK  
PAGE**




*a. D. Woodward.*

1037

1038





1039



1040

**BLANK  
PAGE**





1041


1042

23.6.

11043

**BLANK  
PAGE**


23. C.



**BLANK  
PAGE**



23. d.




A  
ex agro Eboracensi  
prope villam Nunnington dictam.  
diamet. tredecim digitos implet.

**BLANK  
PAGE**



25.2.




A.

*ex diametro duos pedes implet.*

**BLANK  
PAGE**








23.f.

**BLANK  
PAGE**

23. g.




**BLANK  
PAGE**




**BLANK  
PAGE**







1061




1062



*a. D. Woodward.*



1064




*a. D. Woodward.*

1063


**BLANK  
PAGE**



Mantiffa Cochlearum Terrestrium .




Cochlea et Bivalvia aquae dulcis




**BLANK  
PAGE**

Mantissa Marinorum Conchyliorum.



**BLANK  
PAGE**

*Hæc Conchyliæ Maris Caspy illustrissimæ viro DD. Witzen, amplissimo  
Senatori Amstelodamensi accepta refert, et Lubens Merito Dicat M.L.*




**BLANK  
PAGE**

Appendicis ad Conchyliorum Synopsin .

Tabula Quarta .

Conchylia terrestria .




**BLANK  
PAGE**




Appendicis ad Conchyliorum Synopsin.

Tabula Quinta.



*Conchylia marina.*


*à Portugalia.*



*à Marilandia.*



*Conchylia aquæ dulcis.*



*è flumine quoclam Carolinæ.*



*Buccinum heterostrophon fluviale  
4 spiris. D. Petiver. in rivulis  
ad Micham in vicinia Londini.*



*à Propugnaculo St. Georgij India Orient.*



*ibidem cum priore.*




*ibidem cum priore.*

**BLANK  
PAGE**

*Figura Anatomica Cochleæ ejusdam, Pomatia Vesnero dictæ, Tab. 1.*


This anatomical plate contains six detailed scientific illustrations of snail anatomy:

- Fig. 1.** A large, detailed drawing of a snail's body, showing the head, eye stalks, and the coiled shell. Various parts are labeled with letters: 'a' for the eye stalks, 'b' for the head, 'c' for the shell, 'd' for the mantle, 'e' for the foot, 'f' for the siphon, 'g' for the operculum, 'h' for the aperture, 'i' for the columella, 'k' for the siphon, 'l' for the foot, 'm' for the siphon, 'n' for the foot, and 'o' for the siphon.
- Fig. 2.** A drawing of a snail's head, showing the eye stalks and the head capsule. Labeled with 'p' for the eye stalks, 'q' for the head capsule, 'r' for the eye, and 's' for the head capsule.
- Fig. 3.** A drawing of a snail's head, showing the eye stalks and the head capsule. Labeled with 't' for the eye stalks, 'u' for the head capsule, and 'v' for the head capsule.
- Fig. 4.** A drawing of a snail's head, showing the eye stalks and the head capsule. Labeled with 'w' for the eye stalks, 'x' for the head capsule, 'y' for the eye, and 'z' for the head capsule.
- Fig. 5.** A drawing of a snail's head, showing the eye stalks and the head capsule. Labeled with 'a' for the eye stalks, 'b' for the head capsule, 'c' for the eye, and 'd' for the head capsule.
- Fig. 6.** A drawing of a snail's head, showing the eye stalks and the head capsule. Labeled with 'e' for the eye stalks, 'f' for the head capsule, 'g' for the eye, and 'h' for the head capsule.




**BLANK  
PAGE**

Tab. 2. Cochlearum Terrestrium Anatomia.



**BLANK  
PAGE**


Tab. 3 Genitalia Cochlearum Terrestrium.



**BLANK  
PAGE**




*Dissectio Cochleæ Terrestris striatæ atq; operculatæ.* *Tab. 2*  
*Tit. 5 H. Nostræ. A. A.*



*Anna Lister delinea.*


**BLANK  
PAGE**

Tabula 5. Limacum Anatomia.



**BLANK  
PAGE**


*Dissectio Cochleæ Viviparæ Fluviatilis.*  
*Tab. 6.*



**BLANK  
PAGE**

Dissectio *Purpuræ Fluvitilis*, compressæ Tit. 26.  
 et nostræ A.A. item *Buccini* Tit. 23. ibidem.

Tab. 7.




**BLANK  
PAGE**



Anatomia Buccini marini, crassi, rufescentis,  
striati et undati Tit. 2. H. nostræ. A. A.

Tab. 8



**BLANK  
PAGE**

Loligo a Sleeve

Fig. 1.



Fig. 2.






Fig. 3.



**BLANK  
PAGE**

*Loliginis Anatome Anglicè a Sleeve dictæ*

*Tab. 10*




**BLANK  
PAGE**

Tab. 11

Aliquot Viscera Lolidinis, Sepiæ, Polypi ex Aldrov.  
F. Redi, Swammerdamio apud Blasium.

Fig. 6.

*Lolidinis majoris ex Illyrio gladius.*




**BLANK  
PAGE**



Musculi Fluviatilis anatome.

Tab 12



**BLANK  
PAGE**

Pectunculi et Chamæ anatome. Tab. 13  
 itemq<sub>3</sub> Tellinæ




Fig. 1.




Fig. 5.




Fig. 2.




Fig. 6.



Fig. 3.




Fig. 7.




Fig. 4.




Fig. 8.


**BLANK  
PAGE**

Mytuli Marini anatome.

Tab. 14.



**BLANK  
PAGE**




A. *Offrei* caput, in cujus angulos B.B. *musculi* circulares totum corpus circumdantes terminantur. C. *Hiatus* inter *musculos* & *Branchias* ad os duccns. D. *Superior hepatis* porto coloris *fusci* ventriculo incumbens. E.E. *Oesophagus* ab ore ad ventriculum duccns. F.F.F.F. *Trasfrenum* a ventriculo versus *musculi* recti angulum descendens, quod inde intortum & convolutum, supra *hepar* ascendit, ibi demersum, in G. emergit, ac in anum terminatur. H.H.H. *Cus* cum carne glandulosa. & adipē, *viscera* regens, & interficiens. I. *Cavitas* in qua pericardium, cum corde, & *visc.* K. *Musculus* rectus, cum *fibris* perpendicularibus, trans aperiens. L. *Musculus* alter rectus, cujus tendines utrique teste accrescentes eas occidunt. M. *Eygidem* *musculi* crassities, & *fibrarum* altitudo denotantur. N.N. *Musculi* circulares a latere dextro *Branchias* includentes. O. *Musculus* circularis superior, *Branchiis* incumbens, extra situm evolutus, ut *Branchie* conspiciantur. P. *Musculus* circularis inferior, *Branchiis* substratus. Q. R. R. Eorundem *musculorum* partes, ē latere *Offrei* sinistro confite. S. *Sinus*, ubi *musculi* utrique circulares, eorumque partes dextree, & sinistrae coarctes. Ductum pro aquis ad *Branchias* admittendis, & inde extendendis constituunt. T. T. T. T. *Branchiarum* *circi* quatuor inferiores, qui tenuiores, & latiores. V. V. V. V. Earundem *cirri* superiores, crassiores, & contractiores.

**BLANK  
PAGE**



Tabula Secunda Willisiana Tab 14  
 Repræsentat ostreum apertum, & evolutum ut viscera  
 ejus, & partes internæ conspiciantur.




A.A. Duae Branchiae, i. superioribus dissectae, & extra situm proprium remotae, ut os ostrei pateat. B. Ostrei os. C. Oris velum, sive integumentum. D.D. Branchiae duae alterae superiores, in situ proprio, cum vasis pterygianibus. E. Hepatis portio superior obfusca, sub qua ventriculus latet. F. Cor pericardio nudatum, cuius auricula ampla, & nigricans. G. Aorta, mox ab egressu cordis in tres ramos divisa. H. Ramus primus versus caput ascendens. I. Ramus secundus in musculos rectos. K. Ramus Tertius in Branchias tendens. L. Venae caeve truncus, cordis auriculam ingreditur. M.M.M.M. Branchiae inferiores, cum musculis circularibus ab Ostrei corpore, ubi adhererant, abscissae, & expansae, ut illarum ductus, & cavitates aspiciantur. N.N.N.N. Branchiarum iuga, sive principia, quibus sanguis rursus, sc. vena, & arteria. O.O.O.O. inequant, & foramina PPPP. interjacent. Q.Q.Q.Q. Branchiarum earundem extremitates, seu fimbriae. R.R. Musculus circularis inferior, lateris dextri, extra situm, & inversus, ut conspici possit. S.S. Eiusdem portio, quae ostrei fundo coherebat. T.T. Eiusdem portio, quae ostrei latus sinistrum circumdans, portioni V. coherebat. W.W. Musculus circularis superior, lateris dextri, complicatus, & contractus, ne Branchias abscondat. X.X. Eiusdem portio, quae ostrei latus sinistrum circumdans, portioni Y. coherebat. Z. Z. Branchiae superficiae, in qua pinnae, seu ductus striati, pro humore vitali, aquisque ingerendis, regerendisque apparent. 1. Ostrei limbus inferior, a quo Branchiarum iuga, & musculi circulares absconduntur. 2. Intestini portio in anum deficiens. 3. Anus.

**BLANK  
PAGE**

*Pectinis Anatome*

*Tab. 17.*




**BLANK  
PAGE**

**BLANK  
PAGE**

*Berberi uerum Indorum. Sive Concha Margaritifera  
ad justam magnitudinem depicta.*

*a. a. a. a. Ligamentorum Testas  
constringentium Vestigium alterum.  
Margarita. umq; locus proprius*

*Tab. 16*



Pholadis anatome, Conchæq. Anatiferæ.

Tab. 19.

Fig. 3.





Fig. 3. τὸ τὸν ὅσος Velerum




Fig. 5





Fig. 7





Fig. 9.

**BLANK  
PAGE**



*Balani vulgaris Anatomie*

*Tab 20.*



**BLANK  
PAGE**


Tab. 21.  
*Hepar pellicum Cancri cujusdam minoris*  
*marini; Dog-crabbs Anglice dicti.*



*Bini Dentes Sepiæ tricuspides,*  
*quorum pars media*  
*Pilaci rostrum æmulatur.*

**BLANK  
PAGE**

Tab. 22.



**BLANK  
PAGE**

